Application No.	Applicant(s)
10/600 789	SCHELL ET AL.
Examiner	Art Unit
Alan Faber	2651
ars on the cover sheet with th	
3. The drawings filed on 20 June 2003 are accepted by the Examiner.	
der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No cuments have been received in this	•
of this communication to file a reply ENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.	
t be submitted. on's Patent Drawing Review (PTO- Amendment / Comment or in the C 84(c)) should be written on the drawing header according to 37 CFR 1.121(Office action of ngs in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
6. ☐ Interview Summary Paper No./Mail Dat B), 7. ☐ Examiner's Amendr	
	Examiner Alan Faber Ars on the cover sheet with the coordinate communication of the appropriate communication is subject that and MPEP 1308. Aminer. Ader 35 U.S.C. § 119(a)-(d) or (f). Been received. Been received in Application No Burnents have been received in this communication to file a reply entry entry entry entry entry. But this communication to file a reply entry entry. Amendment / Comment or in the Communication entry

Application/Control Number: 10/600,789

Art Unit: 2651

occurs.

1. The IDS has been considered. Carlson and Gong are cited as of interest.

2. Claims 1-16 are allowed.

3. The following is an examiner's statement of reasons for allowance: the cited prior art fails to show an apparatus, and associated method, wherein if it is determined that a head switch timing has changed from a reference switch timing such that a recalibration criteria is met, recalibration of head switch timing values associated with each surface

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alan Faber whose telephone number is (703) 308-4816. The examiner can normally be reached on flextime (M-F).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on (703) 305-4040. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/600,789 Page 3

Art Unit: 2651

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alan Faber

Primary Examiner

Art Unit 2651
